陈雅歌 DOROTHEE CHAN

Challenges and Responses: Prevention and control measures for business resumption under the normalisation of NCP

挑战与应对：新冠疫情常态化下企业复工的防控措施

Source of Photograph： 网易房产



Background
背景

- No new confirmed cases for 1 week in most of the cities in China
- 全国大部分城市已连续1周无新增个案
- A large proportion of companies have already resumed working in March and April.
- 大部分公司早在3、4月份已经开始复工
- The prevention and control measures should be regulated to adapt the normalisation of NCP.
- 现阶段防疫措施应为适应新冠疫情常态化而调整

Source: 半岛网

Questionnaire
问卷调查



The frequency of working or having meeting online

The comparison between the beginning of work resumption and present



10 Tips

- 进入公司前对每人进行测温
- 上班打卡：尽量使用定位打卡，减少使用指纹打卡，降低人与人接触频率
- 员工之间保持1米以上的距离
- 办公全程戴口罩
- 尽量采取视频会议。如需要线下会议，需充分消毒会议室，每人进入前洗手消毒，人与人间隔1米以上

- Measures the body temperature of every employee before entering the office.
- Punch in: Punching in by the location/ WiFi is recommended. Reduce the frequency of using fingerprints and personal contact.
- Keep a distance of 1m between each employee.
- Wear the face mask during the entire working time.
- Online meeting is recommended. If meeting in a meeting room is necessary, sanitise the room and meeting participants. Keep the distance during the meeting.

10 Tips

- 保持办公室通风
- 错峰前往食堂或餐厅用餐，不要面对面进餐
- 点外卖时将外包装消毒或丢弃
- 为避免电梯人流量过多，应分批错峰出行，或适当调整上下班时间
- 电梯等多人聚集的地方应该每1小时进行消毒

- Maintain the ventilation of the office.
- Avoid rush hours during lunch time. Keep distance and do not have meals face to face.
- Sanitise or throw away the package of the delivered food.
- Take the elevator in batches during morning or afternoon to avoid major employee's flow. Or regulates the office hours.
- Locations with major floods of people should be sterilised every hour.

30%～60%

the proportion of people with mild or symptoms who could be spreading the pathogen

人群中轻微症状或无症状感染者比例

Source: Nature News

Thank you